



File Name: Canon m140 manual.pdf

Size: 1463 KB

Type: PDF, ePub, eBook

Category: Book

Uploaded: 17 May 2019, 13:33 PM

Rating: 4.6/5 from 603 votes.

Download Now!

Please check the box below to proceed.



I'm not a robot



reCAPTCHA
[Privacy](#) - [Terms](#)

Book Descriptions:

Canon m140 manual



This page requires Javascript. Modify your browsers settings to allow Javascript to execute. See your browsers documentation for specific instructions. To install your download click on the name of the downloaded file.


Bond Straight Path 768 lb. Bond

The driver may be included in your OS or you may not need a driver.

Recommended Drivers	File Name	Date	File Size	Optional Drivers	File Name	Date	File Size
Recommended Software	File Name	Date	File Size	Optional Software	File Name	Date	File Size
Recommended Manuals	File Name	Date	File Size	Optional Manuals	File Name	Date	File Size

During the relevant warranty period, Canon shall, in its sole discretion and without charge, repair or replace any defective part with a new or comparable rebuilt part or exchange the Product with a new or rebuilt Product. Warranty replacement shall not extend the warranty period of the defective Product. This warranty shall not extend to consumables such as feed rollers, separation rollers, etc. as to which there shall be no warranty or replacement. This warranty shall only apply if this Product is used in conjunction with compatible computers, peripheral equipment and software, as to which items Canon shall have no responsibility. NONCANON Brand COMPUTERS, PERIPHERAL EQUIPMENT and SOFTWARE WHICH MAY BE DISTRIBUTED WITH THE PRODUCT ARE SOLD AS IS, WITHOUT WARRANTY OF ANY KIND BY CANON, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. The sole warranty, if any, with respect to such nonCanon brand item is given by the manufacturer or producer thereof. THIS WARRANTY APPLIES TO PRODUCTS PURCHASED AND USED IN THE U.S.A. AND CANADA ONLY. CANON U.S.A., INC. One Canon Park Melville, NY 11747 CANON CANADA, INC. <http://doseihaeyecclinic.com/userfiles/droid-4-by-motorola-user-manual.xml>

- **canon dr-m140 service manual, canon mp140 manual, canon mp140 manual pdf, canon dr-m140 manual, canon imageformula dr-m140 manual, canon dr-m140 user manual, canon dr-m140 scanner manual, canon mp140 manual em portugues, canon m140 manual, canon mp140 manual, canon m100 manual, canon mp140 manuale d\u0027uso, canon mp140 manual pdf, canon mp140 manuel d\u0027utilisation, canon m140 manual download, canon m140 manual pdf, canon m140 manual downloads, canon m140 manual instructions, canon mp140 manual, canon dr m140 scanner manual, canon dr m140 user manual.**



6390 Dixie Road Mississauga, Ontario L5T 1P7 Canada During the relevant warranty period, Canon shall, in its sole discretion and without charge, repair or replace any defective part with a new or comparable rebuilt part or exchange the Product with a new or rebuilt Product. Warranty replacement shall not extend the warranty period of the defective Product. This warranty shall not extend to consumables such as feed rollers, separation rollers, etc. as to which there shall be no warranty or replacement. This warranty shall only apply if this Product is used in conjunction with compatible computers, peripheral equipment and software, as to which items Canon shall have no responsibility. NONCANON Brand COMPUTERS, PERIPHERAL EQUIPMENT and SOFTWARE WHICH MAY BE DISTRIBUTED WITH THE PRODUCT ARE SOLD AS IS, WITHOUT WARRANTY OF ANY KIND BY CANON, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. The sole warranty, if any, with respect to such nonCanon brand item is given by the manufacturer or producer thereof. THIS WARRANTY APPLIES TO PRODUCTS PURCHASED AND USED IN THE U.S.A. AND CANADA ONLY. CANON U.S.A., INC. One Canon Park Melville New York 117473036 CANON CANADA, INC. 6390 Dixie Road Mississauga, Ontario L5T 1P7 Canada. Insert the software setup disc into the disk drive of the computer. If the power is ON, turn it OFF. Make sure that the scanner and computer are connected properly. Press the power button. Power button The power button lights blue when the power turns ON. Please read the following manuals carefully and familiarize yourself with the functions of the scanner before use to ensure you sufficiently understand the functions and make the most of the scanner's capabilities. Document Eject Extension Support Open this when scanning documents longer than 150 mm in length. Set the lever to the lower position when scanning documents consecutively. See [p. http://fehehcs.com/userfiles/dro-manual.xml](http://fehehcs.com/userfiles/dro-manual.xml)




26 Set the lever to the upper position when scanning documents one page at a time or scanning multipage documents that are fastened together. The document sizes that this scanner can scan are shown below. To scan such a document, make a photocopy of the document and then scan the photocopy. The Uturn path is used when the straight path tray at the rear of the scanner is closed, and the straight path is used when it is opened. When scanning plain paper or business cards, set

the feed selection lever to the standard feeding position lower position. The pages of a multipage document will be separated and fed one page at a time. Place the document. After placing the document, align the document guides with both edges of the document. Open the document feed tray. Open the straight path tray. CAUTION Open the straight path tray when scanning cards. Scanning with the Uturn path may damage the card. Adjust the document guides to fit the width of the card to be scanned. After placing the document, align the document guides with both edges of the document. IMPORTANT Adjust the document guides to fit the width of the document. Otherwise, the image may scan as skewed or shifted. Scanner properties are displayed. The following error code is displayed in the Job No. Indicator of the operating panel, and the DFR button lights. Place the document as described in Documents" see p. 27. IMPORTANT When this function is enabled, small documents and documents that have been placed to the left or right of the center of the feed inlet may be detected as skewed, and the scanning operation may stop. Scan First Scan a document and then select the output method. Specify whether to enable continuous scanning. Specify whether to scan the document in full auto mode. Configure the settings related to output. Click this button to output the scanned images. The button name differs for each output method. When output is finished, the complete screen appears.

Hint Job numbers up to 9 are added in numerical order to the end of the set job name. By specifying the job number with the operating panel, you can start scanning after pressing the operating panel button. Change the settings for the output method if necessary and then click the output button. The name of the output button differs for each selected output method. If you want to specify, for example, the scanning mode and document size, you can configure the desired scanning conditions in the scanner settings. For details on the setting items, see the Help of the driver settings dialog box. Tools Name Description Zoom in Enlarges the preview image. Enlarges or reduces the preview image Fit page to fit the current window size. Zoom out Reduces the preview image. When you specify this output method, specify the printer for printing. Send to application Saves the scanned image file in a specified folder and then opens it with a specified application. This section describes the configuration and functions of the scanner driver. Setting Basic Scanning Conditions This section provides an overview of the basic setting items that are the minimum requirements when configuring the scanner settings. The background behind the text is removed or processed so that the text is emphasized for better readability. When you want to use batch separation for scanning When you want to divide and scan a document, you can separate a batch at the timing with which each next document is placed and scanned. The saved setting is registered to the list. Print patchcode with a printer. Patchcodes can be printed in A4 and letter LTR sizes. Open the application and print a patchcode that is the same size as the document to be scanned. If there are scratches on the sensor glass, contact your local authorized Canon dealer or service representative. Clean the rollers. Clean the rollers while turning them. Scanner properties are displayed. Hint The location of each of the consumable parts is shown below.

SCHEMATIC DIAGRAM CAMERA-MAIN C.B.A.



01 May. 1991

<https://labroclub.ru/blog/bosch-home-security-manual>

Close the upper unit by gently pushing down on the left and right sides. Push until it clicks into place to make sure that it is completely closed. Remove the retard roller. Install the new retard roller. Press the roller cover to close it. Replacing the Feed Roller Lower the securing lever for the feed roller forward. Slide the securing lever for the feed roller to the left. Resetting the counter Start Windows and log in as a user with administrator privileges. Scanner properties are displayed. Auto Power Off Setting The scanner automatically turns off if 4 hours elapse without scanning or another operation being performed. Contact your local authorized Canon dealer. Problem 6 Pages are missing. If scanning is too slow 1 Close other running programs, if any. 2 Scanning can be slowed down by memory shortage caused by memoryresident applications such as antivirus programs. Where are scanned images saved. Can the save destination be changed. Images are saved to the following locations, according to program settings. For example, save locations such as the following can be set in CaptureOnTouch. How do I scan halffolded documents folio scanning. Fold the document in half, and set it in the scanner with the fold at the right. Paper jam error code Skew detection error code When a paper jam or double feed occurs during scanning, use the following procedures to clear them. If the jammed paper tears while you are pulling it out, make sure to remove any remaining pieces from inside the scanner. Close the upper unit by gently pushing down on the left and right sides. Then, reinstall the software from the Setup disc. IMPORTANT Log on to Windows as an Administrator. Option Barcode module product code 1922B001. Page 6 Setup Guide Setup GuideIf any of the items listed below are missing or damaged, contact your. Page 19 Handling When cleaning the scanner, push the power button to turn it OFF. Moving the Scanner and disconnect the.

<http://greenandtelco.com/images/btk-22-bluetooth-manual.pdf>



Page 21 Features of the Scanner Features of the Scanner. The main features of the DRM140 document scanner are described. Full Auto ModePage 23 Names and Functions of Parts Names and Functions of Parts. Front View With the Feed Tray Open. A OPEN Lever H Power buttonPage 26 007Chapter1.fm Page 26 Wednesday, August 10, 2011 703 PMPage 28 Placing Documents Placing Documents 3 Switch the eject method based on the type of documentPage 35 2 Enter the job name, and press the Enter key.Page 38 007Chapter1.fm Page 38 Wednesday, August 10, 2011 705 PMReplacing Consumable Parts 2 Raise the OPEN lever, and open the upper unit. The feed roller and retard. Page 44 Replacing the Retard RollerReplacing the Feed RollerPage 49 007Chapter1.fm Page 49 Wednesday, August 10, 2011 707 PMPage 50 Clearing Paper Jams and Skewed Documents Clearing Paper Jams and Skewed Documents. When paper jams and skewed documents are detected duringPage 52 Specifications 007Chapter1.fm Page 52 Wednesday, August 10, 2011 709 PM. In this document are contains instructions and explanations on everything from setting up the device for the first time for users who still didn't understand about basic function of the camera. Canon DRM140, Canon DR M140, Canon Imageformular DRM140, Canon Imageformular DR M140 Canon Imageformular DRM140 user manual Files with a.pdf extension can be viewed and printed consistently by anyone, regardless of platfor. You may download and use the Content solely for your personal, noncommercial use and at your own risks. Canon shall not be held liable for any damages whatsoever in connection with the Content, including, without limitation, indirect, consequential, exemplary or incidental damages. You shall also not and shall not let others reproduce, modify, reformat or create derivative works from the Content, in whole or in part. The scanner cannot be guaranteed to work with all available USB cables. If documents still feed askew, roller replacement or other maintenance may be needed.

<http://genesisrealtycorp.com/images/bts-manual.pdf>



See Chapter 7 Maintenance for roller replacement procedures. To perform duplex scanning, either change the job setting or create another job for duplex scanning. If a sticky substance such as glue or correction fluid is found, carefully wipe with just enough pressure to clean the area where the

lines appear. If the problem cannot be solved by cleaning, the internal glass may be scratched. Contact your local authorized Canon dealer. If pages are skipped due to the document double feeding, see "Problem 7 Documents jam or doublefeed". Fan the documents before you load them. Multifeed Detection Overlap detection Ultrasonic sensor, Length detection Feed Roller Replacement 200.000 sheets Driver Download Driver Manual Download Manual Brochure Download Brochure Features Automatic color detection, Automatic rotation, Blank Page Detection, MultiStream, Automatic Cropping, Edge Correction, Streaks Correction, Background Cleaning, Deskew, Hole Punch Removal, Manual Feed Mode, Document Separation, Barcode Recognition, OCR, Zonal OCR As with many of the scanning devices, the Canon DRM140 can achieve a scanning resolution of 600. A scanner like this, is working with a CIS sensor. This scanner is connected through USB 2.0. Users can scan at 40 Sheets per minute in simplex mode when you use the simplex option. The duplex mode achieves 80 Documents per minute in duplex mode for this scanner. If you check the official specs, the Recommended volume for each day, is around 6,000 documents. The Canon DRM140 works with Twain and ISIS scanning interface. You can assume the consumables to process about 600.000 paper sheets. Specs for paper handling The Overlap detection Ultrasonic sensor, Length detection will take care of the Multifeed Detection, and prevent the feeding of 2 pages at the same time. If you look at the the ADF capacity of this scanner, you will notice that it can hold 50 pages. This Canon DRM140 scanner, will scan a maximum Sheet thickness of 7 to 68 lb. Digitizing 118.

1 in long documents is easy with the Canon DRM140, given that it uses a Long Document Scanning Mode feature. Canon DRM140 accesories unboxing The device has a size of 12 x 4 x 4 inches. Concerned regarding the mass of this scanner. You should know it has a weight of about 9 lbs. In the package you will notice the following applications Capture Perfect, Capture On Touc, eCopy Pdf Pro Office, Kofax VRS. Features for Productivity Your batch of documents has different sized documents. The Automtic Page Size Detection will sort that for you. I like the Automated Rotation of Documents for documents that are not homogenous when it comes to orientation. A mix of portrait and landscape documents will be handled by the Automated Rotation of Documents mode. Regarding Auto Color, we could not imagine the Canon DRM140 not having it and use not using it. When was the last time you had to remove blank pages manually. The Canon DRM140 will do this automatically, when you use the White page detection function. Thinking of using the Multi image output function. Go ahead, as it is standard on the Canon DRM140. Quality of images While the Background Removal works great with most documents, you should double check documents with images and pictures. Have you tried using the Document Edge Cleanup for images. If it works correctly for pictures, then keep it enabled on the Canon DRM140 permanently. Document Alignment can be done by enabling this setting in the scanner driver. It will only conflict with other special settings on the Canon DRM140 scanner from time to time, so keep it on. Black dots on the side of the document. Tick the Hole Punch Removal box and your Canon DRM140 scanner will fill them automatically. The Streaks Removal function is often sold on bigger scanners. The scanner in question is missing Streaks Removal. Extra Features How good is the Canon DRM140 for crumpled documents. Just turn on the Feed Paper Manually and check for yourself.

<http://www.siscard.com/wp-content/plugins/formcraft/file-upload/server/content/files/1627191197ee59--brandt-dishwasher-manual-pdf.pdf>

What I love about the Detect Barcodes modules, are the QR code recognition features. It makes for flawless scanning. Are you currently using the Automatic Separation of Documents. I really encourage you to try Automatic Separation of Documents with QR codes. The Optical Character Recognition is mandatory on just about any scanner and the Canon DRM140 comes as standard with it. Would you scan forms without the Zonal OCR module. I enjoy the Zonal OCR setting too much not to use it. Do you already have this device and don't know how to put it to work. Download the user guide on this page. If you want to search for more specific information, you can try downloading the

official brochure on this website. It's able to scan sheets of paper of up to 863 mm or 34 in. Duplex, 1,726 mm or 68 in. Simplex in length, while its competitor can only scan sheets of up to 118.1 in. For your connectivity needs, the Canon DRM140 has USB 2.0 while the other document scanner offers Wireless and USB 2.0, 3.0. The Canon DRM140 has the advantage on scanning speed. The document scanner is able to scan at 40 PPM. The other machine has the power to only get up to 25 sheets in one minute. Read the full review of the Scansnap ix500 Canon DRM140 vs Epson ES400 Canon DRM140 Epson ES400 Sensor type CIS CCD Long Document 118.1 in 240 in Connectivity USB 2.0 SuperSpeed USB 3.0 and Ethernet optional Sheets per minute 40 35 Images per minute 80 70 Document Thickness 7 to 68 lb. 10 lb. to 59 lb. Daily Duty Cycle 6,000 sheets 4,000 sheets Feed Roller Replacement 200,000 sheets 100,000 sheets Interface Twain and ISIS Twain Dimensions 12 x 4 x 4 inches 6.6 x 11.6 x 6.9 inches Weight 9 lbs 8.1 lbs MultiStream Yes Yes Price Check price on Amazon Check price on Amazon Both the Canon DRM140 and the Epson ES400 have the same capture area of 8.27 in x 11.69 in. The Canon DRM140 operates with a CIS sensor, while the Epson ES400 has a CCD sensor.

cgalgeria-dubai.com/userfiles/files/92-camry-manual.pdf

As we often see it the CCD one offers a wider color gamut, and it's true for our case. So which scanning machine can scan a longer document. The Epson ES400 is the winner here with a max. Canon DRM140 has USB 2.0 while the other scanner offers SuperSpeed USB 3.0 and Ethernet optional. Looking at actual digitization speed the Canon DRM140 will get up to 40 PPM. In contrast the Epson ES400 will reach 35 documents every minute. Read the full review of the Epson ES400. The selectable Uturn feeding mechanism ejects scanned documents via the top of the device. When not in use, the DRM140 is small enough to store conveniently in a drawer. A selectable Uturn or straight through paper path allow for smooth scanning operation of a variety of media types, including embossed cards, thick and thin media and 3m long documents. Features such as auto colour detection and an auto resolution setting ensure consistently superior image results; while MultiStream accommodates workflows required for improved OCR processing. It supports scanning to multiple file formats, including PDF, PDF/A, TIFF, JPEG, BMP and PowerPoint, while users can send files direct to a network folder and SharePoint. CaptureOnTouch features an intuitive user interface, including the Full AutoMode feature for a simplified scanning experience. CapturePerfect offers powerful software scanning tools for more missioncritical batch scanning applications. Also included is Kofax VRS, and eCopy PDF Pro Office, providing a full and professional software suite. Effortlessly capture and classify batch scans, integrate your Canon scanner with your business and document workflows, and boost your productivity. It offers advanced output options alongside multiwindow and thumbnail views. Improved readability and higher OCR recognition rates increase productivity. For more information on our SDKs, please visit the Canon Developer Programme web page. There is still a high probability we have it in stock.

Just give us a call, instant message, live chat or email and we will get back to you fast. Even if an item is not in stock, we can often provide it quickly. We have developed partnerships with most of the major imaging manufacturers which allows us to ship almost anything we do not have within 23 days even if the manufacturer is out of stock. We have many alternative options available for sourcing parts. Just give us a call, instant message, live chat or email and we will get back to you fast! Operation is Cet appareil numérique respecte les limites de bruits radioélectriques subject to the following two conditions 1 This device may not cause applicables aux appareils numériques de Classe B prescrites dans la harmful interference, and 2 this device must accept any interference norme sur le matériel. All rights reserved. Gewerbebereich sowie in Kleinbetrieben vorgesehen. No part of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying and recording, or by any information storage or retrieval Model Names system without the prior written permission of CANON The following name may be provided

for tSetup Guide STEP 1 Checking the Accessories If any of the items listed below are missing or damaged, contact your local authorized Canon dealer or service representative. For details on installing these applications, refer to the supplied Setup Disc. Readme.txt file. CaptureOnTouch eCopy PDF Pro Office This is a dedicated scanning application for this product. Scanning speeds are lower if your computer's standard USB System requirements interface is USB FullSpeed equal to USB 1.1. To use the scanner, your computer must satisfy the following system. The USB cable you are using should be the one originally included requirements. The setup menu automatically starts up when you insert the disc into the drive. If the menu does not start up, execute setup.exe from the disc.

About Installation of the ThirdParty SoftwIMPORTANT Do not connect the scanner to the computer before installing the software. Before connecting the scanner to the computer, verify that the power of the scanner is OFF. If the power is ON, turn it OFF. If the taskbar icon appears as, the scanner is not properly connected to the computer. Check the status of the power switch and 2 Press the power button. USB cable. Turning Off the PSymbols Used in This Manual Please read the following manuals carefully and familiarize yourself The following symbols are used in this manual to explain procedures, with the functions of the scanner before use to ensure you sufficiently restrictions, handling precautions, and instructions that should be understood the functions and make the most of the scanner's observed for safety. Avoid locations that are subject to vibration. If the room in which the scanner is installed is cold but rapidly heated, water droplets condensation may form inside the scanner. This Installation Location may result in a noticeable degradation in scanning quality. When cleaning the scanner, push the power button to turn it OFF dropping it. Clean the scanner using a slightly dampened cloth which has been moving. Such objects may tip or fall over, resulting in personal injury. When sending the scanner for repairs. When sending the scanner, use the packing on your region. Doing so might cause a fire or electric shock. Full Auto Mode below. A Full Auto Mode is provided in the supplied software. These documentations are only intended for qualified technicians who are aware of the respective safety regulations. Products names, logos, brands and other trademarks are the property of their respective trademark holders in the USA and other countries.

<http://eco-region31.ru/bosch-home-security-manual>